

TAKALANI LUB SUPPLIER

061 698 1264 | 074 905 1046 | Pat2mokoena@gmail.com



CEO and Founder of Takalani Lub Supply, Mr. Patrick Mkwena

Welcome to Takalani Lub Supply, your trusted partner in Automotive lubricants and oils. With commitment to excellence, we take pride in being a leading distributor dedicated to providing top-tier products for your vehicle's optimal performance.

At Takalani Lub Supply, we understand the importance of quality lubrication in maintaining the longevity and efficiency of your automotive investments.



PATRICK MOKWENA

061 698 1264 | 074 905 1046 | Pat2mokoena@gmail.com



TAKALANI LUB SUPPLIER

PASSENGER VEHICLE ENGINE OIL

Havoline® with Deposit Shield™, an advanced formulation that protects your engine from harmful deposits helps improve performance, and maximises fuel economy. Havoline® with Deposit Shield™ comes in different products to give maximum protection for your engine:

- CX Havoline Formula 20W50 0.5L
- CX Havoline Formula 20W50 1L
- CX Havoline Formula 20W50 5L
- CX Havoline Formula 20W50 210L
- CX Havoline Motor Oil 0.5L
- CX Havoline Motor Oil 5L
- CX Havoline Synthetic Blend 10W40 5L
- CX Havoline Synthetic Blend 10W40 0.5L
- CX Havoline Synthetic Blend 10W40 210L
- CX Havoline ULTRA S 5W40 1L
- CX Havoline ULTRA S 5W40 5L
- CX Havoline ULTRA S 5W40 0.5L
- CX Havoline ULTRA S 5W40 210L



TAKALANI LUB SUPPLIER



HEAVY DUTY DIESEL ENGINE OIL

Delo®, short for Diesel Engine Lubricating Oil, is formulated with ISOSYN® Technology that combines highly refined base oils with advanced additives to create products that rival synthetic lubricants in critical performance tests.

- CX Delo 400 MGX SAE 15W-40 0.5L
- CX Delo 400 MGX SAE 15W-40 5L
- CX Delo 400 MGX SAE 15W-40 20L
- CX Delo 400 MGX SAE 15W-40 210L
- CX Delo Gold Ultra 15W-40 0.5L
- CX Delo Gold Ultra 15W-40 5L
- CX Delo Gold Ultra 15W-40 20L
- CX Delo Gold Ultra 15W-40 210L
- CX Delo Silver MG 15W40 5L
- CX Delo Silver MG 15W40 20L
- CX Delo Silver MG 15W40 210L
- CX Delo Silver 10W 20L
- CX Delo Silver 10W 210L
- CX Delo Silver 30 5L
- CX Delo Silver 30 20L
- CX Delo Silver 30 210L
- CX Delo Silver 40 5L
- CX Delo Silver 40 20L
- CX Delo Silver 40 210L
- CX Delo Gold Ultra T 20L
- CX Delo Gold Ultra T 210L
- CX Delo Silver 10W 210L
- CX Delo Silver 30 5L
- CX Delo Silver 30 20L
- CX Delo Silver 30 210L
- CX Delo Silver 40 5L
- CX Delo Silver 40 20L
- CX Delo Silver 40 210L
- CX Delo Gold Ultra T 20L
- CX Delo Gold Ultra T 210L




TAKALANI LUB SUPPLIER



OTHER AUTOMOTIVE OIL

High performance multi-grade motor oil optimized to provide superior performance as compared with conventional mineral oils

- CX Super OB 3 TC W3 1L
- CX Havoline Brake Fluid 260 DOT 4 250mL
- CX Havoline Brake Fluid 260 Dot 4 500mL
- CX Havoline Super 2T 500mL



RAILROAD OIL

Premium performance, 17 Base Number, "zinc-free", LMOA Generation 5 diesel engine oil, utilizing chlorine-free additive technology, for use in railroad-type diesel engines, particularly modern higher output, lower oil consumption designs.

- CX Delo 6170 CFO 40 20L
- CX Delo 6170 CFO 40 210L



TAKALANI LUB SUPPLIER



TRACTOR OIL

Shear stable, multi-viscosity super tractor oil universal (STOU) fluid designed for use in tractor engines transmissions, final drives and hydraulic systems.

- CX Super Tractor 15W40 (20L)
- CX Super Tractor 15W40 (210L)
- CX 1000 THF (20L)
- CX 1000 THF (210L)



AUTOMOTIVE TRANSMISSION/GEAR OIL

Delo® Gear EP-5 gear lubricants are recommended for use in spiral bevel and hypoid differentials, power dividers and oil-lubricated steering axle wheel bearings.

- CX Delo Gear EP5 80W90 0.5L
- CX Delo Gear EP5 80W90 5L
- CX Delo Gear EP5 80W90 20L
- CX Delo Gear EP5 80W90 210L
- CX Delo Gear EP5 85W140 5L
- CX Delo Gear EP5 85W140 20L
- CX Delo Gear EP5 85W140 210L
- CX Gear Oil ZF 80W90 20L
- CX Gear Oil ZF 80W90 210L
- CX Havoline MTF 75W-90 0.5L
- CX Havoline MTF 75W-90 210L
- CX Translube LD 80W 20L
- CX Translube LD 80W 210L
- CX Translube LD 90 210L



TAKALANI LUB SUPPLIER



Havoline® Multi-Vehicle ATF is a high performance, multipurpose automatic transmission fluid (ATF).

- CX Hypoid LD 85W90 210L
- CX DeloSynthetic Trans XE 75W90 189L
- CX Synthetic ATF HD 208L
- CX Havoline Multi-Vehicle ATF 500mL
- CX Havoline Multi-Vehicle ATF 5L
- CX Havoline Multi-Vehicle ATF 20L
- CX Havoline Multi-Vehicle ATF 210L



ANTIFREEZE / COOLANTS

Delo® ELC Antifreeze/Coolant products are single phase, ethylene glycol based products available in various dilutions that are based on patented aliphatic carboxylate corrosion inhibitor technology specifically formulated for heavy duty cooling system applications that require nitrite.

- CX Delo ELC Premix 50/50 210L
- CX Delo XLC Premix 50/50 5L
- CX Delo XLC Premix 50/50 20L
- CX Delo XLC Premix 50/50 210L
- C CX Havoline XLC Premix 50/50 33/67 1L



TAKALANI LUB SUPPLIER

MARINE ENGINE OIL

High quality engine oil developed for use in a wide variety of medium speed trunk piston engines, including the latest design, high output engines burning marine diesel oils. Available in SAE grades 30, 40.

- CX Delo 1000 Marine 30 210L
- CX Delo 1000 Marine 40 210L
- CX Veritas 800 Marine 30 210L
- CX Taro 20 DP 30X 210L
- CX Taro 20 DP 40X 210L
- CX Taro 30 DP 30X 210L
- CX Taro 30 DP 40X 210L
- CX Taro 40 XL 40X 210L
- CX Taro 50 XL 40X 210L
- CX Taro Special HT 55 210L
- CX Taro Special HT 70 210L
- CX Taro Special HT 100 210L
- CX Taro Special HT LS 40 210L



TORQUE FLUIDS

DeloTorque force 10W,30 & 50 are high performing, non-friction modified, heavy duty transmission fluids which are primarily used for power shift transmissions and final drives requiring Caterpillar TO-4 fluids.

- CX Delo TorqForce 10W 20L
- CX Delo TorqForce 10W 210L
- CX Delo TorqForce 30 20L
- CX Delo TorqForce 30 210L
- CX Delo TorqForce 50 20L
- CX Delo TorqForce 50 210L



TAKALANI LUB SUPPLIER

INDUSTRIAL GEAR OIL

Industrial oils must provide a complete range of lubricating properties when working with gear oils, from economical oils for standard machinery to premium products for the most exacting lubrication of precision equipment. Our Meropa 68,100,150,220,320,460 and 680 offers that.15

- CX Meropa 68 20L
- CX Meropa 68 210L
- CX Meropa 100 20L
- CX Meropa 100 210L
- CX Meropa 150 20L
- CX Meropa 150 210L
- CX Meropa 220 20L
- CX Meropa 220 210L
- CX Meropa 320 20L
- CX Meropa 320 210L
- CX Meropa 460 20L
- CX Meropa 460 20L
- CX Meropa 680 200L
- CX Meropa Synthetic EP 220 208L
- CX Meropa Synthetic EP 320 208L



HYDRAULIC OIL

The Rando HD and HDZ as well as the Clarity Synthetic HyOil series offers a good hydrolytic stability and water separation characteristics promote excellent filterability in the presence of water contamination, and they have good anti-foam and air release properties

- CX Rando HD 32 20L
- CX Rando HD 32 210L
- CX Rando HD 46 20L
- CX Rando HD 46 210L
- CX Rando HD 68 5L
- CX Rando HD 68 20L
- CX Rando HD 68 210L
- CX Rando HDZ 100 210L
- CX Rando HDZ 15 210L
- CX Rando HDZ 32 210L
- CX Rando HDZ 46 210L
- CX Rando HDZ 68 210L
- CX Rando HDZ 100 210L
- CH Clarity Synthetic Hy Oil AW68 208L



TAKALANI LUB SUPPLIER

COMPRESSOR OIL

Caltex compressor oils are specifically engineered for use in stationary rotary screw, rotary vane and reciprocating compressors to deliver maximum efficiency and service life.

- CX Capella WF 68 208L
- TX Capella HFC 55 5L
- CX Cetus HiPerSYN Oil 32 208L
- CX Cetus HiPerSYN Oil 32 18.9L
- CX Cetus HiPerSYN Oil 46 208L
- CX Cetus HiPerSYN Oil 46 18.9L
- CX Cetus HiPerSYN Oil 68 18.9L
- CX Cetus HiPerSYN Oil 100 18.9L
- CH Cetus PAO 32 18.9L
- CH Cetus PAO 46 18.9L
- CH Cetus PAO 68 18.9L
- CX Comp Oil EP VDL 100 20L



GENERAL INDUSTRIAL OIL

Caltex lubricants are engineered to excel in the harshest conditions imaginable, delivering reliable engine protection and outstanding performance.

- CX Aries 150 20L
- CX Aries 150 210L
- CX Aries 320 20L
- CX Aries 320 210L
- CX Clarity Machine Oil 150 208L
- CX Clarity Machine Oil 220 208L
- CX Clarity Machine Oil 320 208L
- CX Way Lubricant 68 210L



TAKALANI LUB SUPPLIER



TURBINE OIL

Caltex quality turbine oils guard against corrosion and harmful deposit buildup to protect and prolong the service life of expensive turbine equipment

- CX GST 32 210L
- CX GST 46 210L
- CX GST 68 210L
- CX GST 100 210L

GREASE

Speed, temperature and pressure –they're all elements that heavy machinery is subjected to in massive quantities. Having exactly the right grease for the job helps extend reliability and service life, saving you money in the long run.

- CX Multifak EP 1 16kg
- CX Multifak EP 2 5kg
- CX Multifak EP 2 2kg
- CX Multifak EP 2 2kg
- CX Multifak EP 2 16kg
- CX Multifak EP 2 50kg
- CX Multifak EP 2 180kg
- CX Multifak Moly EP2 18kg
- CX Multifak Moly EP2 180kg
- CX Multifak AFB 2 18kg
- CX Multifak RSP 3 18kg
- CX Delo Starplex EP 2 16kg
- CX Delo Starplex EP 2 180kg
- CX Delo HD Moly 5% EP 2 16kg
- CX Delo HD Moly 5% 181kg
- CX Ultra-Duty Grs 2 16kg
- CX Ultra-Duty Grs 2 50kg
- CX Ultra-Duty Grs 2 180kg
- CH Delo Grs ESI 15.9kg
- CH SRI Grs 2 15.9kg
- Talcor Super HD #2 180kg
- Talcor Mill Brass Compound 180kg
- Talcor Breakout Blue 180kg
- Talcor Breakout Blue 0.5kg
- CX Delo Gear ESI 80W90 15.9kg
- CX Delo Gear ESI 80W90 18.9L
- CX Delo Gear ESI 80W90 208L
- CX Delo Gear ESI 85W140 208L
- CX Delo Gear ESI 85W140 18.9L



TAKALANI LUB SUPPLIER



CHEVRON PRODUCTS

These greases are designed for plain and anti-friction bearing applications operating under high stress/high load conditions, coupled with high ambient temperatures typically found in heavy duty off-road applications

- Delo Chevron Moly 5% ESI HD EP2
- Chevron Delo Heavy Duty Moly 5% Ep2

